




EMPower
4 Drawer Refrigerated Chef Base
72"

ITEM # _____
 MODEL # _____
 NAME # _____
 SIS # _____
 AIA # _____



Electrolux

EMPower
4 Drawer Refrigerated Chef Base 72"



169209 (169209)

2 Drawer Refrigerated Chef Base 60" - Modular Installation

Short Form Specification

Item No. _____

Unit to be Electrolux Four (4) Drawer Refrigerated Chef Base with built-in compressor unit. Unit able to operate with temperature range from 32° F to 41° F (+0°C to +5°C). Digital thermostat and display are protected by the Stainless Steel front panel. Stainless Steel front panel with incorporated Stainless Steel wire grate is easy to remove for access to the thermostat and to allow for easy cleaning. Used as base below any top unit installed on feet. Freestanding installation: does not allow flush connection between base and Electrolux top units nor between any side units. Delivered on casters.

Main Features


- Digital thermostat and display are protected by the Stainless Steel front panel.
- Heavy duty Stainless Steel tubular drawer handles.
- Unit able to operate as refrigerator with temperature range from 32° F to 41° F (+0° C to +5° C).
- Stainless Steel front panel with incorporated Stainless Steel wire grate is easy to remove (protected by key lock) for access to the thermostat and to allow for easy cleaning.
- Delivered with stainless steel top with rear splash and sides to install top units with feet (doesn't allow modular installation).
- To be installed not closer than 2" (5 cm) from any wall or hot cooking appliances.
- The refrigerated air is discharged at the rear of the unit.
- Automatic defrost every 6 hours, the unit will turn off so the evaporator coil can defrost.
- Four (4) Drawer Refrigerated Base with built-in compressor unit.

Construction

- Storage capacity is 11,1 Cu-ft (314lt).
- Entirely constructed in stainless steel.
- Unit to be mounted on casters and may be installed on feet (optional accessory).



APPROVAL: _____



Electric

Supply voltage:	115 V/1 ph/60 Hz
169209 (169209)	
Rated amps:	5.8 A
Total Watts:	0.6 kW
Plug type:	USA NEMA 5-15P

Key Information:

External dimensions, Width:	74 1/32" (1880 mm)
External dimensions, Depth:	31 7/8" (810 mm)
External dimensions, Height:	26 1/32" (661 mm)
Net weight:	291 lbs (132 kg)
Shipping width:	33 1/16" (840 mm)
Shipping depth:	75 3/16" (1910 mm)
Shipping height:	27 3/4" (705 mm)
Shipping weight:	362 lbs (164 kg)
Shipping volume:	39.94 ft ³ (1.13 m ³)
Refrigerant weight:	lbs (0 g)

Refrigeration Data

Compressor power:	
Refrigerant type:	R290
Refrigeration power:	0 W



Electrolux

**EMPower
4 Drawer Refrigerated Chef Base
72"**

**EMPower
4 Drawer Refrigerated Chef Base 72"**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2019.01.30